

COURS Reconnaissance Visuelle par deep learning

<https://cord.isir.upmc.fr/teaching-multimedia/>




Matthieu Cord
Sorbonne University
Computer Science - ISIR

Outline


Convolutional Nets for visual classification

- 1. Recap MLP**
2. Convolutional Neural Networks



Recap MLP



→ **x**



MLP example: brute force connection



First Pb: Scalability

Large images => extremely large number of trainable parameters


MLP example: brute force connection

2d Pb: *Stability* of the representation



Expectation:

- *Small deformation in the input space*
=> *similar representations*

- *Large (or unexpected) transfo in the input space*
=> *very dissimilar representations*




Representations:




MLP example: brute force connection

Stability: Invariance/Robustness to (local) shifting, scaling, and other forms of (small) distortions?




MLP example: brute force connection

Little or no invariance to shifting, scaling, and other forms of distortion




MLP example: brute force connection



@LeCun

MLP example: brute force connection

Scaling and other forms of distortions => same pb




Conclusion of MLP on raw data

Brute force connection of images as input of MLP NOT a good idea

- No Invariance/Robustness of the representation because topology of the input data completely ignored
- Nb of weights grows largely with the size of the input image

How keep spatial topology?

How to limit the weight number?



Outline



Convolutional Nets for visual classification

1. Recap MLP
- 2. Convolutional Neural Networks**

How to limit the weight numbers?

1/ Locally connected neural networks



- **Sparse connectivity:** a hidden unit is only connected to a local patch (weights connected to the patch are called filter or kernel)
- Inspired by biological systems, where a cell is sensitive to a small sub-region of the input space, called a receptive field. Many cells are tiled to cover the entire visual field



How to limit the weight numbers?

2/ Shared Weights

- Hidden nodes at different locations share the same weights
 - greatly reduces the number of parameters to learn
- Keep spatial information in a **2D feature map** (hidden layer map)



- ⇒ Computing responses at hidden nodes equivalent to convoluting input image with a linear filter (learned)
- ⇒ A learned filter as a feature detector

Recap (1D/2D) convolution

1D discrete convolution of input signal $x[n]$, with filter impulse response $h[n]$, and output $y[n]$:

$$y[n] = x[n] * h[n] = \sum_{k=-\infty}^{\infty} x[k] \cdot h[n - k]$$

2D discrete convolution of input signal $x[m,n]$, with filter impulse response $h[m,n]$ (*kernel*), and output $y[m,n]$:


$$y[m, n] = x[m, n] * h[m, n] = \sum_{j=-\infty}^{\infty} \sum_{i=-\infty}^{\infty} x[i, j] \cdot h[m - i, n - j]$$

Example with impulse response (kernel) 3x3, and its values are a, b, c, d, ... :
(0,0) located in the center of the kernel



		-1	0	1
n	m			
-1		a	b	c
0		d	e	f
1		g	h	i

$$y[1, 1] = \sum_{j=-\infty}^{\infty} \sum_{i=-\infty}^{\infty} x[i, j] \cdot h[1 - i, 1 - j]$$

$$= x[0, 0] \cdot h[1, 1] + x[1, 0] \cdot h[0, 1] + x[2, 0] \cdot h[-1, 1] \\ + x[0, 1] \cdot h[1, 0] + x[1, 1] \cdot h[0, 0] + x[2, 1] \cdot h[-1, 0] \\ + x[0, 2] \cdot h[1, -1] + x[1, 2] \cdot h[0, -1] + x[2, 2] \cdot h[-1, -1]$$



Ex. of convolution operator




Convolution

2D

$$\begin{bmatrix} 35 & 40 & 41 & 45 & 50 \\ 40 & 40 & 42 & 46 & 52 \\ 42 & 46 & 50 & 55 & 55 \\ 48 & 52 & 56 & 58 & 60 \\ 56 & 60 & 65 & 70 & 75 \end{bmatrix} \times \begin{bmatrix} & & & & \\ & 0 & 1 & 0 & \\ & 0 & 0 & 0 & \\ & 0 & 0 & 0 & \\ & & & & \end{bmatrix} = \begin{bmatrix} & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \end{bmatrix}$$

The result of the convolution is a 5x5 grid with a value of 42 at the center position (1,1).




From one to many filters

1 filter => 1 feature map (corresponding to 1 visual pattern)



To detect spatial distributions of multiple visual patterns: Multiple filters

M filters => M feature maps! Get richer description



From one to many filters


M filters => M feature maps



Rq: not many weights but many neurons! => memory issues will appear

What does replicating the feature detectors achieve?

- Equivariant activities (Hinton Ex): Replicated features do not make the neural activities invariant to translation. The activities are equivariant.



⇒ How to get invariance to 2D spatial transformation of the input?


Getting (more) local Invariance

(local) spatial **POOLING** of the outputs of replicated feature detectors:


- Averaging neighboring replicated detectors to give a single output to the next level
- Max pooling: Taking the maximum in a neighboring

Get a small amount of translational invariance at each level

Reducing the number of inputs to the next layer of feature extraction




$$y_{ij} = \frac{1}{4}(x_{2i,2j} + x_{2i+1,2j} + x_{2i,2j+1} + x_{2i+1,2j+1})$$





=> Stability OK (at least for local shift) for Convolutional Net!

To sum up:



Color images: 3D kernels for filtering


$m \times n \times d$ parameters per filter
Idem for any layer i to layer $i+1$



LCN: Local Contrast Normalization



Normalization within a neighborhood along both spatial and feature dimensions

$$h_{i+1,x,y,k} = \frac{h_{i,x,y,k} - m_{i,N(x,y,k)}}{\sigma_{i,N(x,y,k)}}$$



=> Very important for training large nets to carefully consider normalization within mini-batches [S. Ioffe, C. Szegedy 2015]

1stage of convolutional neural networks





Example with only two filters.

Ranzato CVPR'13

1stage of convolutional neural networks

One stage (zoom)





A hidden unit in the first hidden layer is influenced by a small neighborhood (equal to size of filter).

Ranzato CVPR'13

1stage of convolutional neural networks


One stage (zoom)




A hidden unit after the pooling layer is influenced by a larger neighborhood (it depends on filter sizes and the sizes of pooling regions)

Full ConvNet architecture



One stage (zoom)



Whole system



To sum up: Full ConvNet architecture




To sum up: Full ConvNet architecture

ConvNet (CNN): feed-forward network with

- ability to extract topological properties from image
- designed to recognize visual patterns

Working directly from pixel images with (no/minimal) preprocessing

Trained with back-propagation



Outline


Convolutional Nets for visual classification

1. Recap MLP
2. Convolutional Neural Networks
3. **Examples: LeNet5, AlexNet**

Example: LeNet5


Introduced by Y. LeCun

Raw image of 32×32 pixels as input




Example: LeNet5

- C1,C3,C5 : Convolutional layer
- 5×5 Convolution matrix
- S2 , S4 : Subsampling layer = Pooling+stride $s=2$
=> Subsampling by factor 2
- F6 : Fully connected layer




LeNet5


All the units of the layers up to F6 have a sigmoidal activation function





LeNet5







About 187,000 connections
About 14,000 trainable weights



LeNet5 (@LeCun)




LeNet5 (@LeCun)




AlexNet 2012

- Same model as LeCun'98 but:
 - Bigger model (8 layers)
 - More data (10^6 vs 10^3 images)
 - GPU implementation (50x speedup over CPU)
 - Better regularization (DropOut)



AlexNet 2012



Same type of convnet with

- Filtering (convolution)
- Non-Linearity
- Pooling

8 layers but 224x224 input images => much bigger model:

- 650,000 neurons
- 60,000,000 weights!

Filtering

- Convolutional
 - Dependencies are local
 - Translation equivariance
 - Tied filter weights (few params)
 - Stride 1,2,... (faster, less mem.)

Non-Linearity

- Non-linearity
 - Per-feature independent
 - **Tanh**
 - **Sigmoid**: $1/(1+\exp(-x))$
 - **Rectified linear**
 - Simplifies backprop
 - Makes learning faster
 - Avoids saturation issues
- Preferred option

Pooling


- Spatial Pooling
 - Non-overlapping / overlapping regions
 - Sum or max
 - Boureau et al. ICML'10 for theoretical analysis

More data for supervised training

ImageNet 2012: the (deep) revolution

- 1.2 million labeled images
- 1000 classes
- Mono-class
- TOP5

Image classification result




Learning the AlexNet

- Basics:
 - SGD, Backprop
 - Cross Validation
 - Grid search
- “New”
 - Huge computational resources (GPU)
 - Huge training set (1 million images)
 - Data augmentation - Pre-processing
 - Dropout
 - ReLu
 - *Contrast normalization*

Data Augmentation

lots of jittering, mirroring, and color perturbation of the original images generated on the fly to increase the size of the training set

Crop, flip,.. in train AND in test




Dropout: an efficient way to average many large neural nets

For each training example, randomly omit each hidden unit with probability 0.5


Due to sharing of weights, model strongly regularized

Pulls the weights towards what other models want.

Better than L2 and L1 regularization that pull weights towards zero




Standard Neural Net



After applying dropout.

@Hinton, NIPS 2012



Dropout: what do we do at test time?

Option 1:

Sample many different architectures and take the geometric mean of their output distributions

Option 2: (Faster way)

Use all the hidden units

but after **halving their outgoing weights**

Rq: In case of single hidden layer, this is equivalent to the geometric mean of the predictions of all models

For multiple layers, it's a pretty good approximation and its fast

How well does dropout work?

Significantly improve generalization:

For very deep nets, or at least when there are huge fully connected layers (eg. AlexNet first FC layer, VGG next, ...)

Less useful for fully convolutional nets

Useful to prevent feature co-adaptation (feature only helpful when other specific features present)

Later in course

⇒ **Dropout as a Bayesian Approximation**

⇒ **Representing Model Uncertainty in Deep Learning**


AlexNet 2012

Ablation study

- 1. Number of layers**
- 2. *Tapping off features at each layer***
- 3. Transfo Robustness vs layers**


Architecture of Krizhevsky et al.

- 8 layers total
- Trained on Imagenet dataset [Deng et al. CVPR'09]
- 18.2% top-5 error
- Our reimplementation:
18.1% top-5 error




Architecture of Krizhevsky et al.

- Remove top fully connected layer
– Layer 7
- Drop 16 million parameters
- Only 1.1% drop in performance!



Architecture of Krizhevsky et al.


- Remove both fully connected layers
 - Layer 6 & 7
- Drop ~50 million parameters
- 5.7% drop in performance




Architecture of Krizhevsky et al.

- Now try removing upper feature extractor layers & fully connected:
 - Layers 3, 4, 6, 7
- Now only 4 layers
- 33.5% drop in performance


→ Depth of network is key




Translation (Vertical)




Output



Layer 1




Layer 7




Scale Invariance




Layer 1




Output




Layer 7




Rotation Invariance




Layer 1



Output




Layer 7



Deep ConvNets for image classification


- **AlexNet** 8 layers, 62M parameters



Alex Krizhevsky, Ilya Sutskever and Geoffrey Hinton
ImageNet Classification with Deep Convolutional Neural Networks.
In *NIPS*, 2012.

Extra

Comparison BoW / deep CNN




Comparison BoW / CNN deep

1. Regular grid + gradient detection (SIFT) => bank of 8 linear filters (convolution) + Winner Take All (inter-maps) => 8 maps
2. Local histogram SIFT => spatial local sum pooling inside maps on a fixed grid 4x4 => 16x8=128 (smaller) maps
3. BoW Coding = projection on M vectors (visual dico elts) => a bank of M linear filters of size 4x4x8 (=1x1x128 convolution) => M maps
4. BoW Pooling => global pooling on each map => M scalar values = 1 vector representation BoW (extension: SPM)
5. Classification (SVM) => Fully connected layers

BoW = Conv1+pooling(loc)+Conv2+pooling(global)+Fconnected

- Handcrafted+unsupervised vs. end-to-end supervision
- Light deep vs. very deep




Deep vs shallow in Computer Vision


- CV work(ed) a lot on handcrafted local features
 - BoVW (Bag of Visual Words and extensions FisherVectors, BossaNova ...)
 - BoVW not so shallow but not end-to-end supervised learning
- CNN: end-to-end learning on a **handcrafted** architecture! [Chatfield BMVC 2014]
 - Why 8 layers? why 3x3 at the 5th layer without pooling? ... => ad-hoc architecture



Zero-padding in convolutional neural network



To avoid shrinking the spatial extent of the network rapidly




No Padding / Padding

No padding $5 \times 5 \Rightarrow 3 \times 3$


3_0	3_1	2_2	1	0
0_2	0_2	1_0	3	1
3_0	1_1	2_2	2	3
2	0	0	2	2
2	0	0	0	1

12.0	12.0	17.0
10.0	17.0	19.0
9.0	6.0	14.0

Padding $5 \times 5 \Rightarrow 5 \times 5$



Stride 2 conv



More in this [link](#)

More in getting local Invariance

Invariance to local translation (small shift) OK with pooling

Is convolution equivariant/invariant to changes in scale or rotation?

No such invariance with linear filters

Possible extension:

Pooling OVER outputs of separately parameterized convolutions

Become possible to LEARN invariance to rotation (or other)

Example (Bengio et al. Deep Learning 2014):

By learning to have each filter be a different rotation of the “5” template + pooling over outputs => invariance to rotation of the “5”

5	5	5
5	5	5
5	5	5

“This is in contrast to translation invariance, which is usually achieved by hard-coding the net to pool over shifted versions of a single learned filter”